Data sheet

HP Color LaserJet Enterprise M553 series



A fast and energy-efficient printer that delivers vibrant, professional-quality color documents.

Speed and color are the perfect pair for your business. That's why this energy-efficient printer and Original HP Toner cartridges with JetIntelligence combine to produce vibrant, professional-quality documents right when employees need them.



HP Color LaserJet Enterprise M553n



HP Color LaserJet Enterprise M553dn



HP Color LaserJet Enterprise M553x

High-speed performance meets energy efficiency

- Print from sleep mode in as fast as 9 seconds.² Get two-sided prints as quickly as one—up to 40 ipm.³
- This printer uses exceptionally low amounts of energy—thanks to smart media-sensing and toner technology.⁴
- Equip employees to breeze through tasks with the adjustable 4.3-inch (10.9 cm) color touchscreen.
- Consistently print high-quality documents across a variety of media—including A5—with automatic media sensing.

Your fleet—simple, protected, streamlined

- Centralize control of your print environment with HP Web Jetadmin⁶—and help build business efficiency.
- Protect sensitive data—use embedded or optional features, including HP JetAdvantage Security Solutions.⁵
- Easily develop, deploy, and add on HP and third-party solutions. Choose the optional 1 GB memory upgrade.⁷
- Increase security, restore control, and help avoid additional expenses—with HP JetAdvantage Private Print.®

Print whenever business demands

- Enable wireless direct printing in the office—from mobile devices—without accessing the network.9
- Print with just a touch of your NFC-enabled mobile device to this printer—no network needed.¹⁰
- Easily print from a variety of smartphones and tablets—generally no setup or apps required.¹¹

More. Pages, Performance, and Protection.

- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.¹²
- Count on professional quality at fast speeds—high-performance toner works best with your HP printer.
- Help ensure the authentic HP quality you paid for with anti-fraud and cartridge authentication technology.
- Print right away with preinstalled cartridges. Replace them with optional high-yield cartridges.¹³

² Measured using ISO/IEC 17629. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software driver, and document complexity.⁴ Based on HP testing using the CNERGY STAR® programs? Spicial Electricity Consumption (TEC) method or as reported in energystar.gov vs. competitive single-function clobr laser printers with print speeds between 31 and 44 pages per minute (ppm) as of November 2014. Actual results may vary. ⁵ Some solutions require download or additional purchase. Learn more at hp.com/go/printingsolutions. ⁶ Universal device plug-in is offered with HP web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin. ⁷ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ⁸ Available only in North America and select European countries. Standard only on the HP Laser Jet Enterprise M553 m clear the more information, see thoreas of optional module, available fall 2015, for the Laser Jet Enterprise M553 n only. Requires purchase of optional module, available fall 2015, for the Laser Jet Enterprise M553 n. Mole device needs to be connected directly to the WI-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MPP or printer. For details, see tho com/go/molitegriniting ¹¹ Local printing requires mobile device mase to parations only. Remote printing requires mobile device and printer be on the same network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from the access point in the PI estory using a set and wall and wallable alike on parations only. Remote printing requires

HP Color LaserJet Enterprise M553x

Product walkaround

- 1. Intuitive 4.3-inch (10.9 cm) color VGA control panel tilts up for easier viewing (Available on X bundle only)
- 2. Home button (returns to home screen)
- 3. Hardware Integration Pocket (HIP) for solution integration
- 4. Easy-access USB port to print files directly¹⁴
- 5. Right door (access to the fuser and to clear jams)
- 6. Convenient front on/off switch
- 7. 100-sheet multipurpose tray
- 8. Front door access to Original HP Toner cartridges with JetIntelligence
- 9. Lower-right door (access to clear jams)
- 10. Two 550-sheet input trays for a 1,200 sheet total input capacity
- 11.250-sheet output bin
- 12. Built-in wireless direct⁹/NFC¹⁰
- 13. Built-in automatic two-sided printing
- 14. 1 GB standard memory (upgradeable to 2 GB) and a 1.2 GHz processor
- 15. Access port for optional Kensington-style lock
- 16. HP Jetdirect Gigabit Ethernet embedded print server
- 17. Hi-Speed USB 2.0 printing port
- 18. Hi-Speed USB 2.0 port (for connecting third-party devices)



Close-up of I/O ports

Series at a glance







Model	HP Color LaserJet Enterprise	HP Color LaserJet Enterprise	HP Color LaserJet Enterprise
	M553n	M553dn	M553x
Product number	B5L24A	B5L25A	B5L26A
100-sheet multipurpose tray, 550-sheet input tray 2	\checkmark	\checkmark	\checkmark
550-sheet input tray 3	Optional	Optional	
2 550-sheet input trays 4 and 5	Optional	Optional	Optional
Printer cabinet	Optional	Optional	Optional
Control panel	4-line color display with keypad	4-line color display with keypad	Adjustable 4.3-inch (10.9 cm) color touchscreen
HP high-performance secure hard disk drive	Optional	Optional	Optional
Hardware Integration Pocket (HIP)			
Automatic duplexing			
Wireless direct [®] and NFC touch-to-print [®]	Optional	Optional	
ENERGY STAR [®] certified			

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

Same Day – 4 hour 9x5 and 13x5:

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

Installation Service with Network Setup:

Installation services that include onsite installation and network setup of printing product.

For carepack availability visit: hp.com/go/cpc











With the fast pace of business, there's no time to stop and wait. Ensure workgroups have tools to move business forward. This efficient printer is designed to conserve energy without sacrificing productivity—so employees can speed through tasks.

Workgroup needs are wide-ranging. Keep them all covered effortlessly, with a full suite of advanced and innovative HP JetAdvantage solutions⁵ that simplify fleet management and help make printing secure.

Business is mobile, and so is your workforce. Help them print the documents they need on the move—whether they're headed to the office or to a meeting—with easy printing from a range of mobile devices,¹ enhanced by HP JetAdvantage solutions.³

Bring out the best in your printer—get more high-quality pages than ever. Use Original HP Toner cartridges with JetIntelligence for better performance, higher energy efficiency, and the authentic HP quality you paid for—unlike the competition.¹²

Accessories

B5L34A - HP Color LaserJet 550-sheet Media Tray B5L51A - HP Color LaserJet Printer Cabinet B5L28A - HP Internal USB Ports B5L29A - HP Secure High Performance Hard Disk Drive G6W84A - 1 GB 90-pin DDR3 DIMM F5S62A - HP Trusted Platform Module Accessory

Supplies


B5L35A - HP LaserJet 110v Fuser Kit (150K yield) B5L36A - HP LaserJet 220v Fuser Kit (150K yield) B5L37A - HP Color LaserJet Toner Collection Unit CF360A - HP 508A Black LaserJet Toner Cartridge (~6000 ISO yield) CF361A - HP 508X Black LaserJet Toner Cartridge (~12,500 ISO yield) CF361A - HP 508A Cyan LaserJet Toner Cartridge (~5000 ISO yield) CF361X - HP 508X Cyan LaserJet Toner Cartridge (~5000 ISO yield) CF362A - HP 508A Yellow LaserJet Toner Cartridge (~5000 ISO yield) CF362A - HP 508A Yellow LaserJet Toner Cartridge (~5000 ISO yield) CF363A - HP 508A Magenta LaserJet Toner Cartridge (~5000 ISO yield) CF363A - HP 508A Magenta LaserJet Toner Cartridge (~5000 ISO yield)

Services

HP Color LaserJet Enterprise M553 Series

U8CG3E - HP 3 year Next Business Day + Defective Media Retention Color LaserJet M552/3 Hardware Support U8CH0E - HP 4 year Next Business Day + Defective Media Retention Color LaserJet M552/3 Support U8CH1E - HP 5 year Next Business Day + Defective Media Retention Color LaserJet M552/3 Support U8CJ4PE - HP 1 year Post Warranty Next Business Day+Defective Media Retention LaserJet M552/3 Hardware Support

U8CG4E - HP 3 year 4 hour 9x5 + Defective Media Retention Color LaserJet M552/3 Hardware Support H2872E - Installation for 1 Network Configuration for Dept and Color LaserJet printer



HP Color LaserJet Enterprise M553 series

Print endel Latter, 16.4 digger stack (b. p. 6 spers ands ² first Page to that is that a 1 cm ² met and is the start and is that a 1 cm ² met and is the start and is that a 1 cm ² met and is the start and is that a 1 cm ² met and is the start and is that a 1 cm ² met and is the start and is that a 1 cm ² met and is the start and is	Technical Specifications	HP Color LaserJet Enterprise M553n(B5L24A)	HP Color LaserJet Enterprise M553dn(B5L25A)	HP Color LaserJet Enterprise M553x(B5L26A)		
International Exclution Exclution Exclution Exclution Exclution Exclution Inter Charlog Internation of the internatintere internation of th	AIO functions		Print	7		
Inter Tradesign (main tradesign (main (ma						
All tead Disk. Comments where All tead Disk. Comments where Head Disk. Comments where Names Start Software Feture Heider Mages and tead of the Software Feture Heider Mages and tead of						
Istandar Dela Lapagege IP 80 TC, EP PD, Scr P Sprcopt Kend S, Palaco A, Reik KG, Palaco A, Palac		Lā		prated		
Printer Staart Selfware Factaler Periorit, Agene APPINP, Negloas certifica, Open Exampling, Park Configuration Factor Appine Appin				*1		
Database Consensativity Image: Consensativity Image: Consensativity Network Consensativity Via #P Addret Clifformer et hexing (private) Standard Colourse 1, 1002-10000000-1, 1002-1, 1		HP ePrint, Apple AirPrint™, Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off technology, Easy Access USB, Jetintelligence cartridges, Online help	HP ePrint, Apple AirPrint™, Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing, JetIntelligence cartridges, Hardware Integration Pocket, Online help	HP ePrint, Apple AirPrint™, Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing. JetIntelligence cartridges, Hardware Integration Pocket, Wireless direct printing, Near Field Communication, Color Touchscreen, Online help		
Internet Compatibility Vis HP Jandra Ethernet met de Gabet Ethernet auf Gabet Ethernet Etheret Ethernet Ethernet Ethernet Ethernet Ethernet Ethernet Ethernet	Printer Management	Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deploy	ment Utility, Managed Printing Administrator); HP Web JetAdmin Software; HP F	Proxy Agent Software; HP Imaging and Printing Security Center; HP Utility (Mac)		
tensors Reads tensors tensors Reads tensors t	Standard Connectivity	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100/1000Base-TX network port				
Interse capability Option and instance and services Weils Prediting capability Interse capability IP offers, Aged Amfeltance and services IP offers, Aged Amfeltance and Services Kennery Standard F. Intellity IP offers, Aged Amfeltance and Services IP offers, Aged Amfeltance and Services Kennery Standards Intellity IP offers, Aged Amfeltance and Services IP offers, Aged Amfeltance and Services Viscourd Services Standard Services IP offers, Aged Amfeltance and Services IP offers, Manuel 2000 Standard Services Viscourd Services Manthal, Letters Lip and Services Manthal, Letters Lip and Services IP offers Viscourd Services Manthal, Letters Lip and Services Manthal, Letters Lip and Services Services Services Viscourd Services Manthal, Letters Lip and Services Services Services Services Services Viscourd Services Servic	Network Capabilities	Via HP Jetdirect Ethernet embedded print server (sta		n Fast Ethernet and Gigabit Ethernet; IPsec (standard)		
Name Implementance Implementance Implementance Name Standard: 10:ER Name Per driver, Marcine and Marcine 10:ER Name Per driver, Marcine and Name Name Standard: 10:ER Name Per driver, Marcine and Marcine 10:ER Name Per driver, Marcine and Name Name Standard: 10:ER Name Per driver, Marcine and Name Per driver, Marcine and Name Name Per driver, Marcine and Name Per driver, Marcine and Name Per driver, Marcine and Name Name Per driver, Marcine and Name Name Per driver, Marcine and Name Name Per driver, Marcine and Name Name Per driver, Marcine and Nam Per driver, M						
Heapy Standard 1:02 (H 2000) Standard 1:02 (H 2000) Comparable Starse						
Ass Store p 462 Inter-velicitie storage, Fremware etcryption (AS: 128 or AS: 250 of costnere/lpb data; Secure Cryptographic Ease - Mo Data, Secure Disk Ensal Processor Speed 12.667. Man disk: Costnered 12.667. Man disk: Source	Mobile Printing Capability	HP ePrint; Apple AirP	rint™; Mopria-certified ⁴	HP ePrint; Wireless direct printing; Apple AirPrint™; Mopria-certified ⁴		
Processor 1.2 Oth / Hind different Decision Project Circle Namble, District Lings 000000,0007,000 Section 200,0000,0007,000 Section 200,0000,0007,000 Section 200,0000,0007,000 Section 200,0000,0007,000 Section 200,0000,0007,000 Section 200,0000,000,000,000,000 Section 200,000,000,000,000 Section 200,000,000,000,000,000 Section 200,000,000,000,000,000,000,000,000,000	Memory		Standard: 1 GB; Maximum: 2 GB			
Processor (speed 12.0F / Mort different (speed point) Due Cy Cit Namely, Citetty (speed point) Recommend of Month Py Page Mone: 2000 to 000 nage. ³ Pager Handling Object Castling: 20-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-	Mass Storage	4GB non-volatile storage, Firmwa	re encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographi	c Erase – Job Data, Secure Disk Erase)		
Date f Cel: Neutrols, letter lip is 0.000 page. ⁸ Recammade March Page Volume: 2000 to 000 page. ⁸ Page Tanallian Tage Capatities: 1:0:- Description (and the page page tage) (and the p						
Paper Handling Ipper Capacities: 100-short metalgroups tay, 550-short metal (2)-580-short metal (2)-590-short metal (2)-590-sh	· · · · · · · · · · · · · · · · · · ·					
Product Weight 59.5 (b) ¹³ 60.6 (b) ¹³ 73.6 (b) ¹³ What's in the box HP Color LaserJet Enterprise, Four prenstalled HP LaserJet tomer cartridges (yeld –6000 pages tokat and –5000 pages tokat and page tokat and –5000 pages	Paper Handling	transparency, Labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined; Redia Weight Supported : Tray 1: 16 to 58 lb (plain); 28 to 58 lb (plains); Tray 2: 16 to 58 lb (plain paper); 28 to 58 lb (glossy paper); Bedia Sizes Supported : Tray 1: letter, legal, oficio, executive, statement, 4 x 6, 3 x 5, 5 x 7, 5 x 8, postcard (JIS), double postcard (JIS), double postcard (JIS), double postcard (JIS), double postcard (JIS); Custom: 4 x 6, 3 x 5, 5 x 7, 5 x 8, double postcard (JIS); Custom: 4 x 6, 5 x 13, envelope (commercial No.9, No. 10, No.1x6); Ustom: 3 x 5 to 8.5 x 14 in; Tray 2: letter, executive, statement, 4 x 6, 5 x 7, 5 x 8, double postcard (JIS); Custom: 4 x 6, 5 x 13, envelope (commercial No.9, No. 10, No.1x6); Distom: 3 x 5 to 8.5 x 14 in; Tray 2: letter, executive, statement, 4 x 6, 5 x 7, 5 x 8, double postcard (JIS); Custom: 4 x 6, 5 x 14 in; Tray 3 +: letter, legal, double postcard (JIS); Custom: 4 x 6, 5 x 14 in; Tray 3 +: letter, legal, double postcard (JIS); Custom: 4 x 6, 5 x 14 in; Tray 3 +: letter, legal, double postcard (JIS); Custom: 4 x 6, 5 x 14 in; Tray 3 +: letter, legal, double postcard (JIS); Custom: 4 x 6, 5 x 14 in; Tray 3 +: letter, legal, double postcard (JIS); Custom: 4 x 6, 5 x 14 in; Tray 3 +: letter, legal, double postcard (JIS); Custom: 4 x 6, 5 x 14 in; Tray 3 +: letter, legal, double postcard (JIS); Custom: 4 x 6, 5 x 14 in; Tray 3 +: letter, legal, double postcard (JIS); Custom: 4 x 6, 5 x 14 in; Tray 3 +: letter, legal, double postcard (JIS); Custom: 4 x 6, 5 x 14 in; Tray 3 +: legal, double postcard (JIS); Custom: 4 x 6, 5 x 14 in; Tray 3 +: legal, double postcard (JIS); Custom: 4 x 6, 5 x 14 in; Tray 3 +: letter, legal, double postcard (JIS); Custom: 4 x 6, 5 x 14 in; Tray 3 +: legal, double postcard (JIS); Custom: 4 x 6, 5 x 14 in; Tray 3 +: legal, double postcard (JIS); Custom: 4 x 6, 5 x 14 in; Tray 3 +: legal, double postcard (JIS); Custom: 4 x 6, 5 x 14 in; Tray 3 +: legal, double postcard (JIS); Custom: 4 x 6, 5 x 14 in; Tra				
What's in the box HP Color Laser let Enterprise. Printer, Four prenstalled HP Laser let tone cartridges (yield ~6000 pages black and ~5000 pages color). Toner collection unit's h-box documentation; Software CD; Power Cord, 100-sh multipuppose trip, 1550-bleet input tray 2. Warranty Features One-yeas; On-Site warranty Emergy Efficiency compliance ENRINGY STARP certified, Blue Angel, ECEP, EPEAT* Sheer Control Panel 4-line color LCD; 19 buttons (Cancel pb, Up and Down arrow, Select, Back, Home, 12-bay; and Heap); 3 LED indicator lights (Mention, Ready, Basy) 4.3-in touchscreen with color graphics Statures in clicked Windows OS the Software Installer/Unistaller, HP PCL 6 Printer Dine; HP Davice Expenser; (DIG); HP Update, Product Registration disset; HP Web Services Assist (HP Connected), Online user manuals; Mac OS: Welcome Soree users to HP Acron OS 24pp Sizer of Laser Adv S finalution available at http://www.by and 4.3-in touchscreen with color graphics additional fort software available in HP PL; 92 internal scalable torts in HP Dasset prevence (DIG); HP Update, Product Registration of SApp Sizer of Laser Adv S finalution available at http://www.by and Hos/S Sizer available and HD; //www.by Size 3 additional fort software available and HD; //www.by Size 3 additional fort software available in HP PL; 20 and Hasher Mindows XP CP3 at 22-bit at defines to Home ADV Cernet How Sizer available and HD; //www.by Size 3 additional fort software ADV CP3 additional forthead Hava ADV CP3 additional fort software ADV CP3 additional f	Product Dimensions	W x D x H: 18 x 18.9 x 15.7 in ¹²	; Maximum: 27.5 x 18.9 x 15.7 in	W x D x H: 18 x 18.9 x 22.9 in ¹² ; Maximum: 27.5 x 18.9 x 22.9 in		
Uniterpresentant: Uniterpresentant: Standard Warrady Features One-year, on-site warranty Energy Efficiency Compliance ENERGY 5104** Control Addition Standard Standa	Product Weight	59.5 lb ¹³	60.6 lb ¹³	73.6 lb ¹³		
Energy Efficiency Compliance EMERGY STARP certified. Blue Angel, CECR EPEAP Shier Control Panel 4-line color LCD, 19 buttors (Cancel Job, Up and Down arrow, Select, Back, March, 12-key and Help, 3 LED indicator lights (Attention, Ready, Busy) 4.3-in touchscreen with color graphics Display Description 4-line COIr LCD, 19 buttors (Cancel Job, Up and Down arrow, Select, Back, MD, PP Dydate, Product, Registration Assid, IP Web Services Assist IP Connected, Online user manuals, Mar CS, Webcome Scree users to IP. Corn O CS App Store for Lace Jet Software) 4.3-in touchscreen with color graphics Software Included Windows OS: CFP Software Installer, HP PCL, 92 internal scalable forts in HP Destscript level and memory carcity. HP Lesser Hot Rome analable and HPD Simulation analable and HPD Simulation analable and HPD Simulation analable and HPD Simulation. Societty JE Lesser Hot Rome analable Simulation analable and HPD Construction analable and HPC Lesser Hot Rome analable Simulation. HP Rote, 92 Head HP CL, 92 Internal Scalable (Rom PP Carc), Windows Yore and 122-bit and 64-bit editions (Windows RG Tal 32-bit and 64-bit editions (Windows SG Tal 32-bit and 64	What's in the box	multipurpose tray 1; 550-sheet input tray 2.				
Control Panel 4-line color LCD; 19 buttors (Cancel job, Up and Down arrow, Selet, Back, Home, 1-2 key and Help); 3 LED indicator lights (Attention, Ready, Busy) 4.3-in touchscreen with color graphics 4-line LCD (color graphics) with 10-key pad 4.3-in touchscreen with color graphics 505 Straver Included Windows 05: HP Software Installe/Uninstaller, HP PCL E Printer Drive, HP Dexter Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Cornected), Online user manualise, Ma C5: Webcome Scree users to HP.com or 05 App Store for Laser 4E Software) To Sinternal TrueType forts scalable in the PCL, 92 internal scalable inors in thrifting the Poststript Itevel 3 emulation. Linco e prints (Made Mono WorldType); 2 internal Windows Vista 8 Forts (Calibri, Calibri,						
Display Description 4.1ine LCD (color graphics) with 10-key pad 4.3in touchscreen with color graphics Software included Windows 05: HP Software installer/Uninstaller, HP PCL 6 Printer Dreve, HP Dexice Experience (DW), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals, Mac 05: Welcome Screez Software included 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript (Well 3 emulation (Euro symbol Duil-in); Internal Unicode Fonts (Andel Mono World'Type); 2 Internal Windows Vista B Fonts (Calibi, Calibi, Calib				-		
Software Included Windows 05: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update Product Registration Acaist, HP Web Services Assist (HP Connected), Online user manuals; Mac 05: Welcome Scree users to HP.com or 05 App Store for Laser Jet Software) initiation of the service of the service Assist (HP Connected), Online user manuals; Mac 05: Welcome Scree users to HP.com or 05 App Store for Laser Jet Software) Iterate Total Software Included initiation of the service Assist (HP Connected), Online user manuals; Mac 05: Welcome Scree users to HP.com or 05 App Store for Laser Jet Software Includes Iterate Total Software Includes initiation of the service Assist (HP Connected), Online user manuals; Mac 05: Welcome Scree users to HP.com or 05 App Store (Home Welcome Store (Home Home Welcome Store (Home Home Home Home Store (Home Home Home Home Home Store (Home Home Home Home Home Home Home Home						
users to HP.com or OS App Store for Laser let Software) Forts and Typefaces 105 internal TrueType forts scalable in HP PCL, 92 internal scalable forts in HP Postscript level 3 emulation (Euro Symbal built-in); Thisman Uhicode Fonts (Indue Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Calibri, Calibr						
additional font solutions available via thirting-party flash memory cards; HP Lase/Lef Entist and IPDS Emulation available at http://www.hp.com/igo/lase/reforms Compatible Operating Systems Windows OS compatible with In-Box Driver: Windows XP (S92) all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 1 and 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions, Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions, Windows 7 all 32-bit and 64-bit editions, Windows 7 all 32-bit and 64-bit editions, Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions, Windows 7 all 32-bit		users to HP.com or OS App Store for Laser Jet Software)				
8/8.1 al 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 al 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 05 compatible with Universal Print Driver (From HP. Com): Windows 9/8 al 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 al 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 al 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 al 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 al 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 8/8 (110 RT; Luux OS (In OS HID) Print Drivers available from HP. Com and Apple Store): OS X 10.1 Kin Munt (13, 14, 15, 16, 17), Boss (30, 50), Ubuntu (10.04, 11.10, 12.04, 12.10) Compatible Network Operating Switces), Windows Store 2003/2003 R2 (22-bit) (SP1/SP2) Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2003/203 R2, 22-bit (SP1/SP2) Standard/Enterprise (- Cluster & Terminal Services), Windows Server 2003/203 R2, 21/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (- Cluster & Terminal Services), Windows Server 2003/203 R2, 21/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (- Cluster & Terminal Services), Windows Server 2003/203 R2, 21/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (- Nuster & Terminal Services), Windows Server 2003/203 R2, 21/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (- Nuster & Terminal Services), Windows Server 2003/203 R2, 21/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (- Nuster & Terminal Services), Windows Server 2003/203 R2, 21/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (- Nuster & Terminal Services), Windows Server 2003/203 R2, 21/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (- Nuster & Terminal Services), Windows Server 2003/203 R2, 21/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (- Nuster & Terminal Services), Windows Server 2003/203 R2, 21/67/84-bit (SP1/SP2) Standard/Enterprise/Datacenter (- N		additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts				
Systems Services), Windows Server 2008 R2 (64-bit) (SP1/SP2) Standard/Enterprise/Latacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 (32/64-bit) (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 (32/64-bit) (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 (32/64-bit) (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 (32/64-bit) (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Citrix (on Windows Server 2008/2008 R2), Citrix WetaFame Presentation Server 1.0, Citrix WetaFame PX Presentation Server 1.0, Sould Doen Enterprise Server 1.0, Windows 7 all 32-bit and 64-bit editions, Kundows Vista all 32-bit and 64-bit editions (Swutding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (Swutding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (Kunding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (Swutding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (Swutding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (Swutding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (Swutding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (Swutding RT OS for Tablets),	Compatible Operating Systems	8/8.1 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets); Windows 0S compatible with Universal Print Driver (From HP.com): Windows XP SP3 32-bit and 64-bit editions (Excluding RT OS for Tablets); Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32-bit and 64-bit editions (excluding RT OS for Tablets); Wac OS (HP Print Drivers available from HP.com and Apple Store): OS X 10.7 Lion, OS X 10.9 Mavericks, OS X 10.10 Vosemite; Mobile OS (In-OS drivers): IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP): SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mnt (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x), Other OS: UNIX ¹¹				
(excluding RT 05 for Tablets), Windows 10 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 95 compatible with Universal Print Driver (From HP. com): Windows XP SP3 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (excluding RT 05 for Tablets), Windows 70 all 32-bit and 64-bit editions (exc		Services), Windows Server 2008 R2 (64-bit) (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows OS compatible with Universal Print Driver (UPD) or Product-Specific drivers from HP.com: Windows Server 2003/2003 R2 (32/64-bit) (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 (S2/64-bit) (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2013 R2 (32/64-bit) (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2013 R2 (32/64-bit) (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2013 R2 (32/64-bit) (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2013 R2 (32/64-bit) (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2013 R2 (32/64-bit) (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2013 R2 (32/64-bit) (SP1/SP2) Standard/Enterprise/Datacenter (+ Luster & Terminal Services), Windows Server 2012/2013 R2 (32/64-bit) (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2013 R2 (32/64-bit) Tercommed VS: Cluster & Terminal Services), Windows Server 2012/2013 R2 (32/64-bit) Tercommend VS: Cluster & Terminal Services), Windows Server 2012/2013 R2 (32/64-bit) Tercommend VS: Cluster & Terminal Services), Windows Server 2012/2013 R2 (32/64-bit) Tercommend VS: Cluster & Terminal Services), Windows Server 2012/2013 R2 (32/64-bit) Tercommend VS: Cluster & Terminal Services), Windows Server 2012/2013 R2 (32/64-bit) Tercommend VS: Cluster & Terminal Services), Windows Server 2012/2013 R2 (32/64-bit) recommend VS: Cluster & Terminal Services), Windows Server 2012/2013 R2 (32/64-bit) recommend VS: Cluster & Terminal Services), Windows Server 2012/2013 R2 (32/64-bit) recommend VS: Cluster & Terminal Services (32/64-bit) recommend VS: Cluster & Terminal Services), Windows Se				
Power Consumption: 617 watts (Active Printing), 33.7 watts (Ready), 3.95 watts (Sleep), 1 watt (Auto-Off/wake on LAN), 0.1 watts (Auto-Off/Manual On), 0.1 watts (Off) ² Acoustics Acoustic Power Emissions: 6.5 B(A); Acoustic Pressure Emissions: 51 dB(A) ⁵ Operating Environment Operating Temperature Range: 59 to 81%; Recommended Operating Temperature: 62 to 77%; Storage Temperature Range: 32 to 95%; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Commended Humidity Operating Range: 30 to 70% RH Security Management Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPSec/Friewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for	Minimum System Requirements	PC: Windows XP (SP3) all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit				
Operating Environment Operating Temperature Range: 59 to 81°F; Recommended Operating Temperature: 62 to 77°F; Storage Temperature Range: 32 to 95°F; Non-Operating Humidity Range: 10 to 90% RH; Operating Hum	Power	Power Supply Type: Internal (Built-in) power Support; Power Requirements: Input voltage: 100 to 127 VAC, 60 Hz, Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, product varies by part number with # Option code identifier); Power Consumption: 617 watts (Active Printing), 33.7 watts (Ready), 3.95 watts (Sleep), 1 watt (Auto-Off/wake on LAN), 0.1 watts (Auto-Off/Manual On), 0.1 watts (Off) ²				
RH; Recommended Humidity Operating Range: 30 to 70% RH Security Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for	Acoustics					
	Operating Environment					
	Security Management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in; access port for Kensington-style lock				

¹ Toner cartridge yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of color pages printed, and other factors. ² Power requirements are based on the country/region where the printer is sold. Do not corvert operating voltages; this will damage the printer and void the product warranty. Power consumption in Auto-Off mode depends on customer network switch capability, user configuration and network activity. Off-mode power may vary while checking network packets for print jobs. ³ Average color composite (C/MY) and black declared yields based on ISO/IEC 17978 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see tho, com/go/palearaboutsupplies ⁴ May require a firmware upgrade to be compatible, download at hp.com/go/support ⁵ Acoustic values are subject to change. For current information see hp.com/support. Configuration tested: base model, simplex printing, A4 paper at an average of 20 ppm. ⁶ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁷ Measured using ISO/IEC 17629. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document tomplexity. ⁸ U by cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser/let or HP Color Laser/let devices, and enables appropriate deployment of printer access required. ¹⁰ HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating relatior. Only available with Original HP supples; internet access required. ¹⁰ HP SureSupply alerts you when your print cartridge is running low and hel

Learn more at hp.com

© Copyright 2015 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds

